

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (original) A silver halide photographic material comprising on one side of a paper support having resin coat layers on both sides of a base paper one or more light-sensitive layers and one or more light-insensitive layers, wherein after the photographic material of an L-size (having a length of 89 mm in a machine direction of the base paper and a length of 127 mm vertical to the machine direction) is processed, the photographic material exhibits an image clarity (C-value) of 20% to 60% which is determined using a 1.0 mm optical wedge in accordance with JIS K 7105; and the photographic material comprising a light-insensitive hydrophilic colloid layer between a light-sensitive layer closest to the support and the support.
2. (original) The silver halide photographic material as claimed in claim 1, wherein the light-insensitive hydrophilic colloid layer contains a mercapto-heterocyclic compound.

3. (original) The silver halide photographic material as claimed in claim 1, wherein the light-insensitive hydrophilic colloid layer contains a thiosulfonic acid compound.
4. (original) The silver halide photographic material as claimed in claim 1, wherein the light-insensitive hydrophilic colloid layer contains a latex.
5. (original) The silver halide photographic material as claimed in claim 1, wherein the light-insensitive hydrophilic colloid layer contains a lipophilic compound dispersion.
6. (original) The silver halide photographic material as claimed in claim 1, wherein the light-insensitive hydrophilic colloid layer contains a titanium oxide.

7. (original) The silver halide photographic material as claimed in claim 1, wherein the light-insensitive hydrophilic colloid layer contains a colloidal silver.
8. (currently amended) The silver halide photographic material as claimed in claim 1 ~~any of claims 1 to 7~~, wherein the light-sensitive layer closest to the support is a blue-sensitive layer containing silver halide grains having an average grain size of 0.35 to 0.60  $\mu\text{m}$ .
9. (new) The silver halide photographic material as claimed in claim 2, wherein the light-sensitive layer closest to the support is a blue-sensitive layer containing silver halide grains having an average grain size of 0.35 to 0.60  $\mu\text{m}$ .
10. (new) The silver halide photographic material as claimed in claim 3, wherein the light-sensitive layer closest to the support is a blue-sensitive layer containing silver halide grains having an average grain size of 0.35 to 0.60  $\mu\text{m}$ .
11. (new) The silver halide photographic material as claimed in claim 4, wherein the light-sensitive layer closest to the

support is a blue-sensitive layer containing silver halide grains having an average grain size of 0.35 to 0.60  $\mu\text{m}$ .

12. (new) The silver halide photographic material as claimed in claim 5, wherein the light-sensitive layer closest to the support is a blue-sensitive layer containing silver halide grains having an average grain size of 0.35 to 0.60  $\mu\text{m}$ .
13. (new) The silver halide photographic material as claimed in claim 6, wherein the light-sensitive layer closest to the support is a blue-sensitive layer containing silver halide grains having an average grain size of 0.35 to 0.60  $\mu\text{m}$ .
14. (new) The silver halide photographic material as claimed in claim 7, wherein the light-sensitive layer closest to the support is a blue-sensitive layer containing silver halide grains having an average grain size of 0.35 to 0.60  $\mu\text{m}$ .